



MAXIMIZING INTEGRATION



www.theaegissystem.com

MAXIMIZING INTEGRATION

8-STEP SUGGESTION FOR AEGIS INTEGRATION

When engaging The Aegis System™, it may be timely to evaluate the inner-workings of your organization. An organization must know its vital signs to maximize integration. The National Technical Assistance Center for State Mental Health Planning's publication of six core strategies for positive cultural changes that reduce the need for the use of restraint is incorporated below (Huckshorn, 2005). The following points are also influenced by Sues's (2008) "Lessons Learned From 30 Plus Years of No Physical Intervention." This 8-step format is a product of knowledge gleaned from many successful Aegis integrations. It is not an exhaustive framework for integration, but a helpful starting point for thinking seriously about engaging The Aegis System™.

STEP 1: CREATE A COMMITTEE

Establish a multidisciplinary group that includes leaders from various areas of the organization. The effectiveness of this body of leadership will determine whether or not positive cultural change will occur. The overall vision and action plan for positive change is spearheaded by leadership. Leadership needs to own the macro factors that will determine whether a positive impact is achieved. From a macro perspective, leadership's ability to clearly define the model of care and demonstrate their experience with that model will have a significant impact. While organizing this committee, it may be timely to assess internal expertise. Front line professionals that have tenure with the organization can often feel underutilized. Including such staff in the committee may contribute greatly to the conversation.

STEP 2: ESTABLISH A CLEAR GOAL

With this committee, clearly identify a tangible goal with an established timeline (i.e. cut restraints in half and eliminate injuries within two years). Level set this goal to the population served vs. comparison to other organizations. This may be the time to clarify the organization's definition of restraint. There is no consensus in literature or various state and federal guidelines, so it is prudent that each organization establishes their own definition (which may come from the chosen training vendor). It may be necessary to articulate a distinction between manually applied restraints vs. chemical restraints vs. mechanical restraints and align this definition to state regulation and accreditation standards (if applicable). It should also be clear what an "escort" is and seclusion should not be lumped into the definition of restraint.

STEP 3: COLLECT AND REVIEW AVAILABLE DATA

Process all incident reports and available data pertaining to incidents of restraint and near misses. Be sure *not* to look at frequency of incidents by itself but across the number of different clients. Also look for correlations in rates of staff turnover to trends in incidents of restraint. It may be prudent to do surveys and/or meet with key staff to gather information. Allow staff comments to stimulate future discussion. Include input from the population served, parents, legal guardians and members of the greater community. It is suggested for organizations to have separate incident forms pertaining to the use of restraint vs. general critical incident forms that can skew data and make review more challenging. Establishing a baseline with data collection will become a necessary starting point to track progress.

Metrics to consider:

- Number of physical interventions used, organized by type per each department or area
- Number of injuries to clients and type
- Number of injuries to staff and type
- Number of workers compensation claims/days away from work
- Property damage resulting from incidents of restraint (*Note: Monetary figures should never be used to justify the use of restraint; property damage must directly result in a safety concern for physical intervention to be considered an appropriate response*)
- Injuries to bystanders or others involved in the incident that were not restrained
- Number of non-physical interventions where de-escalation was achieved that could be categorized as a near miss

STEP 4: ASSESS AND CONFRONT POTENTIAL BARRIERS

Anticipate micro barriers at point of care and macro barriers across the organization. Plan to confront these barriers while pushing for positive change. Factor the contagion effect while taking this initiative. Lean on internal resources and consult with the chosen training vendor to confront potential barriers. Assess:

- Limits to financial resources
- Limits within the physical space of the facility (such as limited access to stimulus-reduced space when escalated)
- Operational limitations on the ability to provide staff with autonomy
- Staff to client ratios
- General barriers within workplace culture:
 - Absence of a pro-active approach to crisis and/or reactivity to clients
 - Lack of client rapport
 - Lack of cohesive staff teams
 - “Because I said so”
 - Consistent power struggling with clients
 - Excessive staff burnout
 - Client vs. staff dynamics
 - Lack of positive regard for clients
 - Excessive “street language”
 - De-personalizing language (as a mechanism to maintain emotional barrier between client(s)/staff and amongst colleagues)
 - Avoidance of or failure to follow through with individualized client support plans
 - Lack of positive reinforcement of clients (Friman, Jones, Smith, Daly, & Larzelere, 1997)
 - “Code of Silence” or “report at your own risk”
- Resistance to change, which may correlate to staff tenure and create a contagion effect with:
 - Early adopters excited about change
 - Neutral staff
 - “Laggards,” whose resistance to change may be overt or covert (Barwick, Boydell, Stasiulis, Ferguson, Blasé, & Fixsen, 2005)

- Collective attitude towards restraint, current CI model and current P&Ps pertaining to crisis
- Collective attitude towards population served
- Ability to implement and maintain consistency with individualized support planning, which is significant towards reducing the number of restraints and critical incidents and may include:
 - Individual client history addressed in a check-list fashion
 - Additional risk factors flagged, such as, but not limited to: physical health, prescribed medications (such as lithium), trauma history, pertinent psychological history, current diagnoses, etc.
 - De-escalation strategies may be prescribed in context specific to the individual (i.e. gearing strategies more towards co-regulation or self-regulation)
 - Supervision interventions and/or manipulation of staff ratios and gender specificity in relation to individual clients
 - Physical intervention may be prescribed in context specific to the individual (i.e. which level of hold is appropriate; another great intention of having holds arranged in a tertiary design)
 - Plans to manage the duration of an incident specific to the individual client
 - Clinical observation/report/shift change notes from staff that include trends in behavior (i.e. seeking behavior or patterns of behavioral escalation at specific times of day or staff changes)
 - This individualized support plan may be communicated to parents or legal guardians for input and buy-in
 - Individual support plans for clients that have been held in restraint should look different from those that have not

STEP 5: EVALUATE POLICY AND PROCEDURE

Identify which staff are to be trained in physical intervention (vs. de-escalation only) and what the ratio of hours spent on de-escalation vs. physical intervention should be (1 to 1 is a bare minimum). The chosen de-escalation model should be thought of as a common thread across the organization, but not all staff need to be trained in physical intervention. Deciding which staff are to be certified in the use of restraint is a weighted decision that may impact outcomes. For example, in some environments, having everyone trained in the use of (benevolent) restraint may increase the safety climate. In other environments, having select or more experienced staff trained in the use of (benevolent) restraint may do more to encourage de-escalation and lessen the frequency of hands on incidents.

Some diligence may be required to make sure training is in alignment with existing P&Ps. The chosen vendor should be able to support this process. Eliminating grey areas in policy will be helpful towards better mitigating incidents of crisis. P&Ps may need to be adjusted to better align with individual support planning. Increased scrutiny of incidents from the most senior level of the organization is encouraged, which reinforces the reality that each restraint is important.

Maintaining adequate client to staff ratios is important as case study has revealed a correlation between this and the frequency of critical incidents (Friman, Jones, Smith, Daly, & Larzelere, 1997). Inadequate staff to client ratios will likely increase the number of incidents and resulting complications. It may be timely to look at hiring practices from recruitment to pre-hire staff training. Some organizations experience positive results by investing in significant staff training before staff has any client contact. It is strongly encouraged to draft policy and procedure that empowers front line staff with decision-making capabilities within the operational structure provided. This is needed to maintain adequate responsiveness during crisis and to provide staff with the autonomy needed to prevent behavioral escalation. When staff believe they are restricted by explicit or implicit time/cost limitations, they become hyper focused on control of clients and ensuring their compliance vs. clinical support. This leads to coercive interventions and reactive staff behavior. This dynamic increases power struggles and conflict that leads to more

frequent incidents of behavioral escalation. Furthermore, staff caught in this dynamic are more likely to turn-over (Thompson et al., 2008; Carter et al., 2008).

STEP 6: PUBLISH THE PLAN

Summarize and outline the plan with a firm timeline in place. Publish the plan in hard copy or digital form. Distribute to all staff to formally roll out this initiative. Open up lines of communication with staff that values their input without framing staff involvement as an evaluation of the decision to initiate change.

STEP 7: PUT THE PLAN INTO ACTION

Execute your initial round of trainings in as short a time frame as possible. Plan to complete initial staff trainings in separate areas or quadrants where staff are more likely to be doing team interventions together. Complete these areas/quadrants as stepping-stones, before moving on to other areas. Anticipate staff refresher trainings down the line.

Creative thinking often reveals ways to maximize time committed to training. Breaking training into modules or highlighting certain aspects at staff meetings or in-services has proven to be effective in some organizations. Create space for mandatory and/or elective practice times for staff to meet with certified Aegis Trainers to practice techniques, review de-escalation strategies and talk constructively about concerns from point-of-care.

Some organizations have experienced great success with redefining aspects of their clinicians' role (LPC's, psychologists, etc.) to include more staff development. This provides more "behavior specialists" on site and encourages investment in staff development. Skilled professionals feel like they have more command over the situation at hand and are less likely to compensate or react negatively (Suess, 2008).

Training, through the lens of workforce development, should be thought of as a platform to maintain the model of care. Investment in training is a measure to ensure quality and employee satisfaction. Interaction with staff in the classroom or training space maintains supervision of staff. Crisis intervention training is an opportune time to evaluate competencies and further staff development with a strength-based approach.

STEP 8: MONITOR OUTCOMES AND INVEST IN DEBRIEFING

Continue to review data and respond to trends. Identify milestones for formal review. A positive impact should be trending after the completion of staff training, but it may take longer to see empirical results. One to three years is a safe window, depending on the environment. Investing in a more formalized debriefing process is an effective way to monitor outcomes and better mitigate critical incidents.

Using effective debriefing techniques after each incident encourages the psychological repair of everyone involved. Supportive debriefing is an opportune time for leadership to strengthen their rapport with staff. Debriefs also present an opportunity to coach staff and encourage their professional development through critical incidents. It is safe to assume that a staff person's confidence in their ability to intervene will only be positively or negatively reinforced by the incident that transpired; this may significantly impact future outcomes and post-incident procedure should be attentive to this.

Effective debriefing is part of utilizing assessment and prevention tools. Policy & procedure must be in place to detect abusive or negligent practices and ensure immediate responsiveness with corrective action. Such P&P may be placed within the debriefing process. Debriefing, in combination with incident reporting, is the primary way that data is aggregated. Over-reporting and over-communicating any incident, or near miss, should be commonplace across the organization (Thompson et al., 2008). This ensures there is data available to inform practice. Data collection and responsiveness to trends in data is a vital sign of effective organizations.

REMEMBER:

Each person is unique

Every restraint is important

Agency culture is a critical factor

Approach to crisis needs to be data-driven (Carter, Jones & Stevens, 2008)

THE AEGIS SYSTEM™ REFERENCES

- Allen, D. (2001). *Training careers in physical interventions: Research towards evidence-based practice*. Kidderminster, UK: BILD Publications.
- Allen, D. (Ed.) (2002). *Ethical approaches to physical interventions*. Kidderminster, UK: BILD Publications.
- Allen, D. (2008). Risk and prone restraint: Reviewing the evidence. In M. A. Nunno, D. M. Day, & L.B. Bullard (Eds.), *For our own safety: Examining the safety of high-risk interventions for children and young people* (pp. 87-106). Arlington, VA: Child Welfare League of America.
- American Organization of Nurse Executives. AONE Guiding Principles. (2014). *Mitigating Violence in the Workplace*. Retrieved from <http://www.aone.org/resources/mitigating-workplace-violence.pdf>.
- Ardrey, R. (1966). *The Territorial Imperative*. New York: Dell Publishing Co., Inc.
- Bailey, K. A., Mrock, G., & Davis, F. (no date). *Changing the culture of care: From restraints to relationship*. Holson United Methodist Home for Children: Greenville, TN.
- Bandler, R., Roberti, A., & Fitzpatrick, O. (2012). *The ultimate introduction to NLP: how to build a successful life*. London: HarperCollins Publishers.
- Barnett, R., Hanson, P., Stirling, C., & Pandyan, A.D. (2013). The physiological impact of upper limb position in prone restraint. *Medicine, Science and the Law*, 53(1). doi: 10.1258/msl.2012.012044
- Barnett, R., Stirling, C., Hall, J., Davies, A., & Orme, P. (2016). Perceptions of supported and unsupported prone-restraint positions. *Journal of Psychiatric and Mental Health Nursing*, 23(3-4), 172-178.
- Barnett, R., Stirling, C., & Pandyan, A.D. (2012). A review of the scientific literature related to the adverse impact of physical restraint: Gaining a clearer understanding of the physiological factors involved in cases of restraint-related death. *Medicine, Science and the Law*, 52(3), 137-142. doi: 10.1258/msl.2011.011101
- Barwick, M. A., Boydell, K. M., Stasiulis, E., Ferguson, H. B., Blasé, K., & Fixsen, D. (2005). *Knowledge transfer and implementation of evidence-based practices in children's mental health*. Toronto, ON: Children's Mental Health Ontario.
- Bath, H. (1994). The physical restraint of children: Is it therapeutic? *American Journal of Orthopsychiatry*, 64(1), 40-49.
- Birdwhistell, R. (1970). *Kinesics and context: Essays on body motion communication*. Philadelphia, PA: University of Pennsylvania Press.
- Bower, F. L., McCullough, S. C., & Timmons, M. E. (2003). Synthesis of what we know about the use of physical restraints and seclusion with patients in psychiatric and acute care settings. *J Knowl Synth Nurs*, 22(10), 1.
- Brooks, M. (1989). *Instant rapport*. New York: Warner Books, Inc.
- Blume, T. W. (2006). *Becoming a family counselor*. New Jersey: John Wiley & Sons, Inc.
- Bowden, M. (2010). *Winning Body Language*. New York: McGraw Hill.
- Bowie, V. (1996). *Coping with violence: A guide for the human services*. London: Whiting and Birch, LTD.
- Brendtro, L. (2004). *From coercive to strength-based intervention: Responding to the needs of children in pain*. Conference paper. Copyright: No Disposable Kids, Inc.
- Burgoon, J. K., Buller, D. B., & Woodall, W. G. (1996). *Nonverbal communication: The unspoken dialogue*. New York: McGraw-Hill.
- Carmel, H., & Hunter, M. (1990). Compliance with training in managing assaultive behavior and injuries from inpatient violence. *Hospital and Community Psychiatry*, 41(5), 558-560.

- Carter, J., Jones, J., & Stevens, K. (2008). Beyond a crisis management program: How we reduced our restraints by half in one year. In M.A. Nunno, D.M. Day, & L. B. Bullard (Eds.), *For our own safety: Examining the safety of high-risk interventions for children and young people* (pp. 183-200). Arlington, VA: Child Welfare League of America.
- Chan, T. C., Neuman, T., & Clausen, J. L., Eisele, J., & Vilke, G. (2004). Weight force during prone restraint and respiratory function. *American Journal of Forensic Medicine Pathology*, 25(3), 185-189.
- Chan, T. C., Vilke, G., Neuman, T., & Clausen, J. L. (1997). Restraint position and positional asphyxia. *American Emergency Medicine*, 30(5), 578-586.
- Chan, T. C., Vilke, G., Neuman, T., & Clausen, J. L. (1997). Restraint position and positional asphyxia. *American Journal of Forensic Medicine Pathology*, 19(3), 201-205.
- Clark, L. (2002). *SOS help for emotions: managing anxiety, anger and depression*. Bowling Green, KY: SOS Programs and Parents Press.
- Colton, D. (2008). Leadership's and program's role in organizational and cultural change to reduce seclusions and restraints. In M. A. Nunno, D. M. Day, & L. B. Bullard (Eds.), *For our own safety: Examining the safety of high-risk interventions for children and young people* (pp. 143-166). Arlington, VA: Child Welfare League of America.
- Confer, C. (1987). *Managing anger: Yours and mine*. VA: Jacob R. Sprouse, Jr. American Foster Care Resources, Inc.
- Cormier, S., Nurius, P. S., & Osborn, C. J. (2013). *Interviewing and change strategies for helpers*. California: Brooks/Cole Cengage Learning.
- Corrigan, P. W., & McCracken, S. (1995). Contingencies for dangerous behavior. *American Journal of Psychiatry*, 152(11), 1696-1697.
- Crenshaw, W. B. (1995). A national survey on seclusion and restraint in state psychiatric hospitals. *Psychiatric Services*, 46(10), 1026-1031.
- Curry, D. H., Kaplan, P., & Knuppel, J. (1994). Transfer of training and adult learning (TOTAL). *Journal of Continuing Social Work*, 6(1), 8-14.
- CWLA. *Best practice guidelines: Behavior management*. (2002). Washington, D.C.: Child Welfare League of America, Inc.
- CWLA. *Best practice guidelines: Behavior support and intervention training*. (2004). Washington, D.C.: Child Welfare League of America, Inc.
- Daffern, M., & Howells, K. (2002). Psychiatric inpatient aggression: A review of structural and functional assessment approaches. *Aggression and Violent Behavior*, 7, 277-297.
- Daly, D. L., & Dowd, T. P. (1992). Characteristics of effective, harm-free environments, for children in out-of-home care. *Child Welfare*, 71, 487-496.
- Darwin, C. (1872). *The expression of emotion in man and animals*. New York: Appleton Century Crofts.
- Dattilio, F., & Freeman, A. (Eds.). (2000). *Cognitive-behavioral strategies in crisis intervention* (2nd ed.). New York: Guilford Publications.
- Day, D. M. (2002). Examining the therapeutic utility of restraints and seclusion with children and youth: The role of theory and research in practice. *American Journal of Orthopsychiatry*, 72, 266-278.
- Day, D. M. (2008). Literature on the therapeutic effectiveness of physical restraints with children and youth. In M. A. Nunno, D. M. Day, & L. B. Bullard (Eds.), *For our own safety: Examining the safety of high-risk interventions for children and young people* (pp. 27-44). Arlington, VA: Child Welfare League of America.
- Day, D. M., Bullard, L. B., & Nunno, M. A. (2008). Moving Forward. In M. A. Nunno, D. M. Day, & L. B. Bullard (Eds.), *For our own safety: Examining the safety of high-risk interventions for children and young people* (pp. 257-264). Arlington, VA: Child Welfare League of America.
- DeBecker, G. (1997). *The gift of fear*. New York: Dell Publishing.
- Department of Justice. (1995). *Positional asphyxia— sudden death*. National Law Enforcement Technology Center Bulletin, Rockville, MD: National Institute of Justice.

- DiFabi, S., & Ackerhalt, E. J. (1978). Teaching the use of restraint through role play. *Perspectives in Psychiatric Care*, 16(5-6), 218-222.
- Dinkmeyer, D., & McKay, G. D. (1990). *Parenting teenagers: A systematic training for effective parenting of teens*. Circle Pines, MN: American Guidance Service.
- Dix, R., & Page, M. J. (2008). De-escalation. In M. D. Beer, S. M. Pereira, & C. Paton, (Eds.), *Psychiatric intensive care (2nd ed.)*. Cambridge: Cambridge University Press.
- Donat, D. C. (1998). Impact of a mandatory behavioral consultation on seclusion/restraint utilization in a psychiatric hospital. *Journal of Behavior Therapy and Experimental Psychiatry*, 29, 13-19.
- Drisko, J. W. (1981). Therapeutic use of physical restraint. *Child Care Quarterly*, 10(4), 318-328.
- Driscoll, M. (2000). *Psychology of learning for instruction*. Boston: Allyn and Bacon.
- Dryden, W. (2012). *Dealing with emotional problems using rational-emotive cognitive behaviour therapy: A practitioner's guide*. New York: Routledge.
- Duewel, C. (2015). *Compassionate Care in the Emergency Room*. <https://www.nami.org/Blogs/NAMI-Blog/June-2015/Compassionate-Care-in-the-Emergency-Room#>.
- Ekman, P. (Ed.) (2013). *Emotion in the human face*. Los Altos, CA: Malor Books.
- Ekman, P., & Friesen, W. V. (2003). *Unmasking the face*. Cambridge, MA: Malor Books.
- Ekman, P. (2003). *Emotions revealed: recognizing faces and feelings to improve communication and emotional life*. New York: St. Martin's Griffin.
- Ekman, P. (1992). "An argument for basic emotions." *Cognition and Emotion*, 6, 169-200. doi:10.1080/02699939208411068
- Emergency Nurses Association. Institute for Emergency Nursing Research. (2011). *Emergency Department Violence Surveillance Study*. Retrieved from <https://www.ena.org/practice-research/research/Documents/ENAEDVSReportNovember2011.pdf>.
- Emergency Nurses Association. ENA Toolkit. (2010). *Workplace Violence*. Retrieved from <https://www.ena.org/practice-research/Practice/ToolKits/Pages/Toolkit.aspx>.
- Engel, F., & Marsh, S. (1986). Helping the employee victim of violence in hospitals. *Hospital and Community Psychiatry*, 37(2), 159-162.
- Evans, O. N., Faulkner, L. R., Hodo, G. L., Mahrer, D. L., & Bevilacqua, J. J. (1992). A quality improvement process for state mental health systems. *Hospital & Community Psychiatry*, 43, 465-469.
- Farragher, B. (2002). A system-wide approach to reducing incidents of therapeutic restraint. *Residential Treatment for Children & Youth*, 20(1), 1-14.
- Farragher, B., & Yanosy, S. (2005). Creating a trauma- sensitive culture in residential treatment. *Therapeutic Communities*, 26(1), 79-92.
- Felce, D., Lowe, K., & Blackman, D. (1995). Resident behavior and staff interaction with people with intellectual disabilities and seriously challenging behavior in residential services. *Mental-Handicap- Research*, 8(4), 272-295.
- Fisher, R., & Brown, S. (1988). *Getting together*. Boston, MA: Houghton Mifflin Co.
- Fisher, R., & Ury, W. (1984). *Getting to yes*. Boston, MA: Houghton Mifflin Co.
- Fisher, W.A. (1994). Restraint and seclusion: A review of the literature. *American Journal of Psychiatry*, 151(11), 1584-1591.
- Frankl, V. E. (2006). *Man's search for meaning*. Boston: Beacon Press.

- Friman, P. C., Jones, M., Smith, G.L., Daly, D. L., and Larzelere, R. E. (1997). Decreasing disruptive behavior by adolescent boys in residential care by increasing their positive to negative interaction ratios. *Behavior Modification*, 21, 470-486.
- Gagne, R. M., Briggs, L. J., Wager, W. W. (1992). *Principles of instructional design*. Belmont, CA: Wadsworth Thomason Learning.
- Garrison, W.T. (1984a). Aggressive behavior, seclusion and physical restraint in an inpatient child population. *Journal of the American Academy of Child Psychiatry*, 23(4), 448-452.
- Garrison, W.T. (1984b). Inpatient psychiatric treatment of the difficult child: Common practices and their ethical implications. *Children and Youth Services Review*, 6, 353-365.
- Gertz B. (1980) Training for prevention of assaultive behaviour in a psychiatric setting, *Hospital and Community Psychiatry*, 31: 628-30.
- Gillespie, L., Gates, D., Berry, P., (January 31, 2013) "Stressful Incidents of Physical Violence Against Emergency Nurses" *OJIN: The Online Journal of Issues in Nursing* Vol. 18, No. 1, Manuscript 2.
- Goleman, D. (1998). *Working with emotional intelligence*. New York: Bantam.
- Goleman, D. (1995). *Emotional intelligence*. New York: Bantam Dell
- Grossman, D. (2008). *On combat: the psychology and physiology of deadly conflict in war and Peace*. U.S.: Warrior Science Publications.
- Heilbrun, K. (1995). Physical control of patients on an inpatient setting: Forensic vs. civil populations. *Psychiatric Quarterly*, 66(2), 133-145.
- Hellerstein, D. J., Staub, A. B., & Lequesne, E. (2007). Decreasing the use of restraint and seclusion among psychiatric inpatients. *Journal of Psychiatric Practice*, 13(5), 308-317.
- Holden, J.C. (2009). *Developing competent crisis intervention trainers: Assessing the disparity of participant's curriculum knowledge/skills and training skills in a crisis intervention train-the-trainer program*. Koln, Germany: Lamber Academic Publishing.
- Holden, J. C., Johnson, T. D., Nunno, M.A., & Leidy, B. (2007). Using a prone/supine perception and literature review to forward the conversation regarding all restraints. In M.J. Holden (Ed.), *Therapeutic Crisis Intervention Update: Safety Interventions*. Ithaca, NY: Family Life Development Center, Cornell University.
- Holden, J. C. & Holden, M. J. (2000). The working system. *Training and Development in Human Services: The Journal of the National Staff Development and Training Association*, 1, 34-38.
- Holden, M. J., & Curry, D. (2008). Learning from the research. In M.A. Nunno, D. M. Day, & L. B. Bullard (Eds.), *For our own safety: Examining the safety of high-risk interventions for children and young people* (pp. 107-126). Arlington, VA: Child Welfare League of America.
- Howells, K., & Hollin, C.R. (1989). *Clinical approaches to violence*. New York: John Wiley & Sons.
- Huckshorn, K. A. (2005). Six core strategies to reduce the use of seclusion and restraint planning tool. Alexandria, VA: National Association of State Mental Health Program Directors.
- Iacoboni, M. (2008). *Mirroring people: The science of empathy and how we connect with others*. New York: Picador.
- Infantino J. & Musingo S.Y. (1985) Assaults and injuries among staff with and without training in aggression control techniques, *Journal of Hospital and Community Psychiatry*, 32: 497-8
- Independent Advisor Panel on Deaths in Custody. (2011). *LAP E-Bulletin*. April, Issue 4.
- Independent Advisor Panel on Deaths in Custody. (2012). *LAP E-Bulletin*. March, Issue 7.
- Intersectoral/Interministerial Steering Committee on Behavioral Management Interventions for Children and Youth in Residential and Hospital Settings. (2001). *Report of the Intersectoral/Interministerial Steering Committee on Behavioral Management Interventions for Children and Youth in Residential and Hospital Settings*. Toronto, ON: Children's Mental Health Ontario.

- Johnson, M. E., & Delaney, K. R. (2007). Keeping the unit safe: The anatomy of escalation. *Journal of the American Psychiatric Nurses Association*, 13(1), 42-52.
- Jones-Smith, E. (2012). *Theories of counseling and psychotherapy: an integrative approach*. Los Angeles: Sage Publications, Inc.
- Kalogjera, I. J., Bedi, A., Watson, W. N., & Meyer, A. D. (1989). Impact of therapeutic management on use of seclusion and restraint with disruptive adolescent inpatients. *Hospital and Community Psychiatry*, 40(3), 280-285.
- Kaplan, S. G., & Wheeler, E. G. (1983). Survival skills for working with potentially violent clients. *Social Casework: The Journal of Contemporary Social Work*, 64, 339-345.
- Kennedy, S. S. (2008). Using restraint: The legal context of high-risk interventions. In M. A. Nunno, D. M. Day, & L. B. Bullard (Eds.), *For our own safety: Examining the safety of high-risk interventions for children and young people* (pp. 227-244). Arlington, VA: Child Welfare League of America.
- Knapp, M. L., & Hall, J. A. (2007). *Nonverbal communication in human interaction (5th ed.)*. Chicago: University of Chicago Press.
- Laursen, E., & Birmingham, S. (2003). Caring relationships as a protective factor for at-risk youth: An ethnographic study. *Families in Society: The Journal of Contemporary Human Services*, 84(2), 240-246.
- Ledoux, J. (2002). *Synaptic self: How our brains become who we are*. New York: Viking.
- Long, N., & Morse, W. (1996). *Conflict in the classroom: The education of at-risk and troubled students*. Austin, TX: PRO-ED.
- Lovett, H. (1996). *Learning to listen: Positive approaches and people with difficult behavior*. Baltimore: Paul H. Brooks Publishing Co.
- Mager, R. F. (1984). *Preparing instructional objectives*. Belmont, California: David S. Lake.
- Masker, A. S., & Steele, J. (2004). Reducing physical management and time-out: A five-year update on one agency's experience. *Residential Group Care Quarterly*, 4, 6-7.
- Masters, K. J. (2008). Modernizing seclusion and restraint. In M. A. Nunno, D. M. Day, & L. B. Bullard (Eds.), *For our own safety: Examining the safety of high-risk interventions for children and young people* (pp. 45-68). Arlington, VA: Child Welfare League of America.
- Marshall, S. and Turnbull, J. (eds) (1996) *Cognitive Behavioral Therapy: An Introduction to Theory and Practice*, London, Bailliere Tindall.
- Matsumoto, D., Frank, M. G., & Hwang, H. S. (Eds.) (2013). *Nonverbal communication*. Los Angeles: Sage Publications, Inc.
- McCowan, R. J., & Weganast, D. P. (1997). *Embedded training evaluation: Blending training and assessment*. Buffalo, NY: SUC-Buffalo.
- McDonnell, A., Water, T., & Jones, D. (2002). Low arousal approaches in the management of challenging behaviors. In D. Allen, (Ed.), *Ethical approaches to physical interventions*. Kidderminster, UK: bild Publications.
- McPhaul, K., London, M., Lipscomb, J., (January 31, 2013) "A Framework for Translating Workplace Violence Intervention Research into Evidence-Based Programs" *OJIN: The Online Journal of Issues in Nursing* Vol. 18, No. 1, Manuscript 4.
- Measham, T. J. (1995). The acute management of aggressive behavior in hospitalized children and adolescents. *Canadian Journal of Psychiatry*, 40(6), 330-336.
- Mercy, J. A. (1990). Mortality associated with use of upper body control holds by police. *Violence Victim*, 5(3), 215-222.
- Miller, C. (2004). *Restraint asphyxia-Silent killer*. Retrieved from charlydmiller.com/RA/restrasphyx02.html
- Miller, D., Walker, M. C., & Friedman, D. (1989). Use of a holding technique to control the violent behavior of seriously disturbed adolescents. *Hospital and Community Psychiatry*, 40(5), 520-524.

- Mitchell, J., & Varley, C. (1990). Isolation and restraint in juvenile correctional facilities. *Journal of the American Academy of Child and Adolescent Psychiatry*, 29, 251-255.
- Mohr, W. K. (2008). Physical restraints: Are they ever safe and how safe is safe enough? In M. A. Nunno, D. M. Day, & L. B. Bullard (Eds.), *For our own safety: Examining the safety of high-risk interventions for children and young people* (pp. 69-86). Arlington, VA: Child Welfare League of America.
- Mohr, W. K., Mahon, M. M., & Noone, M. J. (1998). A restraint on restraints: The need to reconsider the use of restrictive interventions. *Archives of Psychiatric Nursing*, 12, 95-106.
- Mohr, W. K., & Mohr, B. D. (2000). Mechanisms of injury and death proximal to restraint use. *Archival Psychiatric Nursing*, 14(6), 285-295.
- Mooney, A. J. (2008). The reach of liability for physical restraints: A question of professional judgment.
- In M. A. Nunno, D. M. Day, & L. B. Bullard (Eds.), *For our own safety: Examining the safety of high-risk interventions for children and young people* (pp. 245-255). Arlington, VA: Child Welfare League of America.
- Morin, J. P. (1997). Reducing the risk of positional asphyxia. *The Journal of Correctional Training*, Winter, 15-17.
- Morton, T. D., & DePanfilis, D. (1987). *Supervisory effectiveness training in child welfare services*. Atlanta, GA: Child Welfare Institute.
- Mueller, A. (1998). De-escalating aggressive behaviors of young girls in residential treatment. *The Child and Youth Leader*, 7(2).
- Murphy, T., & Bennington-Davis, M. (2005). *Restraint and seclusion: The model for eliminating their use in healthcare*. Marblehead, MA: HCPro, Inc.
- National Institute for Clinical Excellence. (2015). *Violence and aggression: short-term management in mental health, health and community settings*. Retrieved from NICE guideline NG10.nice.org.uk/guidance/ng10
- Navarro, J. (2008). *What every body is saying*. New York: Collins Living.
- Nelson, J. E. (1978). Child care crises and the role of the supervisor. *Child Care Quarterly*, 7(4), 318-326.
- Noesner, G. W., & Webster, M. (1997). Crisis intervention: Using active listening skills in negotiations. *FBI Law Enforcement Bulletin*, Washington D.C.: FBI.
- Nunno, M. A., Day, D. M., & Bullard, L. B. (Eds.). (2008). *For our own safety: Examining the safety of high-risk interventions for children and young people*. Arlington, VA: Child Welfare League of America.
- Nunno, M. A., Holden, M. J., & Leidy, B. (2003). Evaluating and monitoring the impact of a crisis intervention system on a residential child care facility. *Children and Youth Services Review*, 24(4), 295-315.
- Nunno, M. A., Holden, M. J., & Tollar, A. (2006). Learning from tragedy: A survey of child and adolescent restraint fatalities. *Child and Youth Services Review*, 25(4), 295-315.
- O'Connor, J., & Seymour, J. (2011). *Introducing NLP: psychological skills for understanding and influencing people*. San Francisco: Conari Press.
- O'Halloran, R. L., & Frank, J. G. (2000). Asphyxial death during prone restraint revisited: A report of 21 cases. *American Journal of Forensic Medicine and Pathology*, 21(1), 39-52.
- Olweus, D. (1993). "Bullying at School: What we know and what we can do". Oxford: Blackwell Publishing
- Outlaw, F. H., & Lowery, B. S. (1994). An attribution study of seclusion and restraint of psychiatric patients. *Archives of Psychiatric Nursing*, 8(2), 69-77.
- Parad, H. J. (Ed.). (1965). *Crisis intervention: Selected readings*. New York: Family Service Association of America.

- Parad, H. J., & Parad, L. G. (Eds.). (2006). *Crisis intervention book 2: The practitioner's sourcebook for brief therapy*. (2nd ed.). Tucson, AZ: Fenestra Books
- Parad, H. J., & Parad, L. G. (Eds.). (1990). *Crisis intervention book 2: The Practitioner's sourcebook for brief therapy*. Milwaukee, WI: Family Service America.
- Parkes, J. (2000). Sudden death during restraint: A study to measure the effect of restraint positions on the rate of recovery from exercise. *Medicine, Science and the Law*, 40(1), 39-44.
- Papa, A., Venella, J., (January 31, 2013) "Workplace Violence in Healthcare: Strategies for Advocacy" *OJIN: The Online Journal of Issues in Nursing* Vol. 18, No. 1, Manuscript 5.
- Paterson, B., & Leadbetter, D. (1999). De-escalation in the management of aggression and violence: Towards evidence-based practice. In J. Turnbull, & B. Paterson (Eds.), *Aggression and violence: Approaches to effective management* (pp. 95-123). London, England: MacMillan Press, LTD.
- Paterson, B., Leadbetter, D., Miller, G., and Crichton, J. (2008). Adopting a Public Health Model to Reduce Violence and Restraints in Children's Residential Care Facilities. In M.A. Nunno, D. M. Day, & L. B. Bullard (Eds.), *For our own safety: Examining the safety of high-risk interventions for children and young people* (pp. 127-143). Arlington, VA: Child Welfare League of America.
- Paterson, B., & Tringham, C. (1999). Legal and ethical issues in the management of aggression and violence. In J. Turnbull, & B. Paterson (Eds.), *Aggression and violence: Approaches to effective management* (pp. 52-78). London: MacMillan Press. LTD.
- Paterson B., Turnbull J., and Aitkin I. (1992) Evaluation of a short course in the management of violence, *Nurse Education Today* 12: 368-75.
- Phillips, D., & Rudestam, K. E. (1995). Effect of nonviolent self-defense training on male psychiatric staff members' aggression and fear. *Psychiatric Services*, 46(2), 164-168.
- Polsky, H.W. (1962). "Cottage Six: The Social System of Delinquent Boys in Residential Treatment. New York: Russell Sage Foundation.
- Reay, D., Howard, J., Fligner, C., Ward, R. (1998). Effects of positional restraint on oxygen saturation and heart rate following exercise. *American Journal of Forensic Medicine and Pathology*, 9(1), 16-18.
- Redl, F., & Wineman, D. (1952). *Controls from within: Techniques for the treatment of the aggressive child*. New York: The Free Press.
- Roberts, A. (Ed.). (2005). *Crisis intervention handbook: Assessment, treatment, and research (3rd ed.)*. New York: Oxford University Press, Inc.
- Rosenberg, M. B. (2003). *Nonviolent communication: a language of life*. Encinitas, CA: PuddleDancer Press.
- Shipton, H. (2004). Organizational learning: Reality or myth? Ashton Business School, Birmingham, UK, 1-30.
- Smith, P. (1993). *Professional assault response training (Rev.)*. California: Professional Growth Facilitators.
- Stanton, A. H., & Schwartz, M. S. (1954). Some covert effects of communication difficulties in a psychiatric hospital. *Psychiatry*, 17, 27-40.
- Steckley, L., & Kendrick, A. (2008). Young people's experiences of physical restraint in residential care: Subtlety and complexity in policy and practice. In M. A. Nunno, D. M. Day, & L. B. Bullard (Eds.), *For our own safety: Examining the safety of high-risk interventions for children and young people* (pp. 3-27). Arlington, VA: Child Welfare League of America.
- Suess, G. (2008). Lessons Learned From 30 Plus Years of No Physical Intervention. In M.A. Nunno, D. M. Day, & L. B. Bullard (Eds.), *For our own safety: Examining the safety of high-risk interventions for children and young people* (pp. 217-224). Arlington, VA: Child Welfare League of America.
- Sugar, M. (1994). Wrist-holding for the out of control child. *Child Psychiatry and Human Development*, 24(3), 145-155.
- Sullivan, A. M., Bezman, J., Barron, C.T., Rivera, J., Curley-Casey, L., & Marino, D. (2005). Reducing restraints: Alternatives to restraints on an inpatient psychiatric service — Utilizing safe and effective methods to evaluate and treat the violent patient. *Psychiatric Quarterly*, 76(1), 51-65.

Talbot, A., Manton, M., & Dunn, P. J. (1992). Debriefing the debriefers: An intervention strategy to assist psychologists after a crisis. *Journal of Traumatic Stress*, 5(1), 45-62.

The Joint Commission, Sentinel Event Alert. (2010). *Preventing violence in the health care setting*. Retrieved from http://www.jointcommission.org/assets/1/18/sea_45.pdf

Thompson, R.W., Huefner, J. C., Vollmer, D. G., Davis, J. K., & Daly, D. L. (2008). A case study of an organizational intervention to reduce physical interventions: Creating effective, harm-free environments. In M.A. Nunno, D. M. Day, & L. B. Bullard (Eds.), *For our own safety: Examining the safety of high-risk interventions for children and young people* (pp. 167-182). Arlington, VA: Child Welfare League of America.

United States General Accounting Office. (1999). *Mental Health: Improper restraint or seclusion places people at risk*. (Publication No. GAO/HEHS-99-176). Washington, D.C.: Author.

Weiss, E. M., Altimari, D., Blint, D. F., & Megan, K. (1998, October 11-15). *Deadly restraint: A Hartford Courant investigative report*. Hartford Courant.

Vander Ven, K. (1988). A conceptual overview: Issues in responding to physical assaultiveness. *Children and Youth Services*, 10, 5-27.

Wimberley, L. (1985). Guidelines for crisis management. *The Pointer*, 29 (2), 22-26.

Yalom, I. D. (2002). *The gift of therapy: an open letter to a new generation of therapists and their patients*. New York: Harper Perennial.

Ziegler, D. (2004, July/August). Is there a therapeutic value to physical restraint? [Electronic version]. *Children's Voice*, 1-6.